

Volume 12 2004: Author Index

A

- A type XI collagen mutation leads to increased degradation of type II collagen in articular cartilage¹Supported by NIH Grants #AR46362 and #AR48839, 314
- Abadie, E., Ethgen, D., Avouac, B., Bouvenot, G., Branco, J., Bruyere, O., Calvo, G., Devogelaer, J.-P., Dreiser, R. L., Herrero-Beaumont, G., Kahan, A., Kreutz, G., Laslop, A., Lemmel, E. M., Nuki, G., Van De Putte, L., Vanhaelst, L., Reginster, J.-Y. Recommendations for the use of new methods to assess the efficacy of disease-modifying drugs in the treatment of osteoarthritis, 263
- Abramson, S. B., *see* Clancy, R. M. *et al.*
- Adolfo, J. M., *see* Lindsey, C. T. *et al.*
- Aicher, W. K., *see* Gründer, T. *et al.*
- Aigner, T., *see* Saas, J. *et al.*
- Akagi, M., *see* Nishimura, S. *et al.*
- Akaike, A., *see* Fushimi, K. *et al.*
- Akens, M. K., *see* von Rechenberg, B. *et al.*
- Åkerman, C., *see* Altman, R. D. *et al.*
- Alhadlaq, H. A., Xia, Y. The structural adaptations in compressed articular cartilage by microscopic MRI (É MRI) T2 anisotropy, 887
- Alscher, D. M., *see* Brenner, S. S. *et al.*
- Altman, R. D., Åkerman, C., Beaulieu, A. D., Schnitzer, T. Efficacy and safety of a single intra-articular injection of non-animal stabilized hyaluronic acid (NASHA) in patients with osteoarthritis of the knee, 642
- Altman, R. D., Bloch, D. A., Dougados, M., Hochberg, M., Lohmander, S., Pavelka, K., Spector, T., Vignon, E. Measurement of structural progression in osteoarthritis of the hip: the Barcelona consensus group¹Supported by an unrestricted grant from NEGMA-LERADS Laboratories., 515
- Altman, R. D., Hunziker, E. B. Editorial, 85
- Altman, R. D., *see* Pham, T. *et al.*
- Amiel, D., *see* Todd Allen, R. *et al.*
- Anderson, D., *see* Arai, M. *et al.*
- Anderson, J. J., *see* Pham, T. *et al.*
- Annis-Freeman, B., *see* Arai, M. *et al.*
- Anract, P., *see* Moulharat, N. *et al.*
- Appleyard, R. C., *see* Cake, M. A. *et al.*
- Appleyard, R. C., *see* Oakley, S. P. *et al.*
- Arai, M., Anderson, D., Kurdi, Y., Annis-Freeman, B., Shields, K., Collins-Racie, L. A., Corcoran, C., DiBlasio-Smith, E., Pittman, D. D., Dorner, A. J., Morris, E., LaVallie, E. R. Effect of adenovirus-mediated overexpression of bovine ADAMTS-4 and human ADAMTS-5 in primary bovine articular chondrocyte pellet culture system, 599
- Archer, C. W., *see* Redman, S. N.
- Archer, C. W., *see* Redman, S. N. *et al.*
- Arfelli, F., *see* Muehleman, C. *et al.*
- Ariza-Ariza, R., *see* Villanueva, I. *et al.*

- Asahara, H., *see* Omoto, S. *et al.*
- Ateshian, G. A., *see* Krishnan, R. *et al.*
- Ateshian, G. A., *see* Park, S. *et al.*
- Auer, J. A., *see* von Rechenberg, B. *et al.*
- Avouac, B., *see* Abadie, E. *et al.*

B

- Bader, D. L., *see* Holloway, I. *et al.*
- Bae, W. C., *see* Nugent, G. E. *et al.*
- Banno, Y., *see* Fushimi, K. *et al.*
- Barban, J., *see* Tannis, A. J. *et al.*
- Barbero, A., Grogan, S., Sch_fer, D., Heberer, M., Mainil-Varlet, P., Martin, I. Age related changes in human articular chondrocyte yield, proliferation and post-expansion chondrogenic capacity, 476
- Batiste, D. L., Kirkley, A., Laverty, S., Thain, L. M. F., Spouge, A. R., Gati, J. S., Foster, P. J., Holdsworth, D. W. High-resolution MRI and micro-CT in an *ex vivo* rabbit anterior cruciate ligament transection model of osteoarthritis, 614
- Batiste, D. L., Kirkley, A., Laverty, S., Thain, L. M. F., Spouge, A. R., Holdsworth, D. W. *Ex vivo* characterization of articular cartilage and bone lesions in a rabbit ACL transection model of osteoarthritis using MRI and micro-CT¹, 986
- Bau, B., *see* Saas, J. *et al.*
- Beaudreuil, J., *see* Spacek, E. *et al.*
- Beaulieu, A. D., *see* Altman, R. D. *et al.*
- Belén González, M., *see* Castellanos, M. V. *et al.*
- Bellamy, N., *see* Pham, T. *et al.*
- Bellamy, N., *see* Theiler, R. *et al.*
- Bentley, G., *see* Holloway, I. *et al.*
- Benton, H. P., *see* Tesch, A. M. *et al.*
- Berger, E., *see* Patwari, P. *et al.*
- Bierbach, U., *see* Brenner, S. S. *et al.*
- Bischoff-Ferrari, H. A., *see* Theiler, R. *et al.*
- Bittmann, P., *see* von Rechenberg, B. *et al.*
- Blake, S. M., *see* Patwari, P. *et al.*
- Bloch, D. A., *see* Altman, R. D. *et al.*
- Bloch, M., *see* Fuchs, S. *et al.*
- Blom, A. B., van Lent, P. L. E. M., Holthuysen, A. E. M., van der Kraan, P. M., Roth, J., van Rooijen, N., van den Berg, W. B. Synovial lining macrophages mediate osteophyte formation during experimental osteoarthritis, 627
- Blum, A., *see* Watrin-Pinzano, A. *et al.*
- Blumenkrantz, G., Lindsey, C. T., Dunn, T. C., Jin, H., Ries, M. D., Link, T. M., Steinbach, L. S., Majumdar, S. A pilot, two-year longitudinal study of the interrelationship between trabecular bone and articular cartilage in the osteoarthritic knee, 997
- Bourgeois, P., *see* Pham, T. *et al.*
- Bouvenot, G., *see* Abadie, E. *et al.*

- Brama, P. A. J., *see* van der Harst, M. R. *et al.*
 Branco, J., *see* Abadie, E. *et al.*
 Braun, M., *see* Pavelka, K. *et al.*
 Brenner, R. E., *see* Hausser, H.-J. *et al.*
 Brenner, S. S., Klotz, U., Alscher, D. M., Mais, A., Lauer, G., Schweer, H., Seyberth, H. W., Fritz, P., Bierbach, U. Osteoarthritis of the knee—clinical assessments and inflammatory markers, 469
 Brill, T., *see* Ueblacker, P. *et al.*
 Bronson, R., *see* Lai, W.-F. T. *et al.*
 Brooks, P. M., *see* March, L. M. *et al.*
 Brown, K. K., *see* Janusz, M. J. *et al.*
 Brunner, A., *see* Tallheden, T. *et al.*
 Bruyere, O., *see* Abadie, E. *et al.*
 Burch, F., Coddington, C., Patel, N., Sheldon, E. Lidocaine patch 5% improves pain, stiffness, and physical function in osteoarthritis pain patients: A prospective, multicenter, open-label effectiveness trial, 253
 Burger, E., *see* Szafranski, J. D. *et al.*
 Burton, S., *see* Sanchez, C. *et al.*
 Burton-Wurster, N., *see* Clements, K. M. *et al.*
 Burton-Wurster, N., *see* Steffey, M. A. *et al.*
- C**
 Cake, M. A., Read, R. A., Appleyard, R. C., Hwa, S.-Y., Ghosh, P. The nitric oxide donor glyceryl trinitrate increases subchondral bone sclerosis and cartilage degeneration following ovine meniscectomy¹, 974
 Caligaris, M., *see* Krishnan, R. *et al.*
 Calvo, E., Palacios, I., Delgado, E., Sánchez-Pernaute, O., Largo, R., Egido, J., Herrero-Beaumont, G. Histopathological correlation of cartilage swelling detected by magnetic resonance imaging in early experimental osteoarthritis, 878
 Calvo, G., *see* Abadie, E. *et al.*
 Carlson, C. S., *see* Ham, K. D. *et al.*
 Carsi, B., Lopez-Lacomba, J. L., Sanz, J., Marco, F., Lopez-Duran, L. Cryoprotectant permeation through human articular cartilage, 787
 Caruso, A., *see* De Mattei, M. *et al.*
 Castellanos, M. V., Hernández, J. M., Ramos, L., Belén González, M., Gutiérrez, N. C., Leone, P. E., Lumberras, E., Robledo, C., García Hernández, J. L. Chromosomal abnormalities are related to location and grade of osteoarthritis¹, 982
 Caterson, B., *see* Janusz, M. J. *et al.*
 Cattini, L., *see* Honorati, M. C. *et al.*
 Chambers, M. G., *see* Howard, M. J. *et al.*
 Chambers, M. G., *see* Mistry, D. *et al.*
 Chang, C.-H., *see* Lai, W.-F. T. *et al.*
 Cheli, Y., *see* Watrin-Pinzano, A. *et al.*
 Chen, A. C., *see* Nugent, G. E. *et al.*
 Chen, C.-T. C., *see* Lin, P. M. *et al.*
 Chuma, H., Mizuta, H., Kudo, S., Takagi, K., Hiraki, Y. One day exposure to FGF-2 was sufficient for the regenerative repair of full-thickness defects of articular cartilage in rabbits, 834
 Cicutini, F., *see* Jones, G. *et al.*
 Clancy, R. M., Gomez, P. F., Abramson, S. B. Nitric oxide sustains nuclear factor kappaB activation in cytokine-stimulated chondrocytes, 552
 Clark, J. M., *see* Miozzari, H. H. *et al.*
 Clements, K. M., Burton-Wurster, N., Lust, G. The spread of cell death from impact damaged cartilage: lack of evidence for the role of nitric oxide and caspases, 577
 Coddington, C., *see* Burch, F. *et al.*
 Coimbra, I. B., Jimenez, S. A., Hawkins, D. F., Piera-Velazquez, S., Stokes, D. G. Hypoxia inducible factor-1 alpha expression in human normal and osteoarthritic chondrocytes, 336
 Collins-Racie, L. A., *see* Arai, M. *et al.*
 Colson, F., *see* Conrozier, T. *et al.*
 Conquer, J. A., *see* Tannis, A. J. *et al.*
 Conrozier, S., *see* Conrozier, T. *et al.*
 Conrozier, T., Favret, H., Mathieu, P., Piperno, M., Provvedi, D., Taccon, A., Colson, F., Conrozier, S., Vignon, E. Influence of the quality of tibial plateau alignment on the reproducibility of computer joint space measurement from Lyon schuss radiographic views of the knee in patients with knee osteoarthritis, 765
 Cooke, T. D. V. Re: Takahashi T, *et al.* A new computer-assisted method for measuring the tibio-femoral angle in patients with osteoarthritis of the knee. Osteoarthritis Cartilage 2004;12:256-259, 762
 Corcoran, C., *see* Arai, M. *et al.*
 Costa, K. D., *see* Krishnan, R. *et al.*
 Cournil-Henrionnet, C., *see* Galois, L. *et al.*
 Courtenay, B. G., *see* March, L. M. *et al.*
 Cramer, T., Schipani, E., Johnson, R. S., Swoboda, B., Pfander, D. Expression of VEGF isoforms by epiphyseal chondrocytes during low-oxygen tension is HIF-1α dependent, 433
 Cross, M. J., *see* March, L. M. *et al.*
 Cross, M., *see* March, L. M. *et al.*
- D**
 D'Lima, D. D., *see* Kühn, K. *et al.*
 Dankbar, B., *see* Fuchs, S. *et al.*
 De Ceuninck, F., *see* Moullharat, N. *et al.*
 De Mattei, M., Pellati, A., Pasello, M., Ongaro, A., Setti, S., Massari, L., Gemmati, D., Caruso, A. Effects of physical stimulation with electromagnetic field and insulin growth factor-I treatment on proteoglycan synthesis of bovine articular cartilage, 793
 de Souza, P., *see* Schulze-Tanzil, G. *et al.*
 Deberg, M. A., *see* Sanchez, C. *et al.*
 Decking, R., *see* Hausser, H.-J. *et al.*
 DeGroot, J., *see* van der Harst, M. R. *et al.*
 del Mar Guzman, M., *see* Villanueva, I. *et al.*
 Delgado, E., *see* Calvo, E. *et al.*
 Delgado-Baeza, E., *see* Fernández-Criado, C. *et al.*
 Delmas, P. D., *see* Rousseau, J.-C. *et al.*
 DeSantis, G., *see* Ueblacker, P. *et al.*
 DeVathaire, F., *see* Uebelhart, D. *et al.*
 Devel, P., *see* Sanchez, C. *et al.*
 Devogelaer, J.-P., *see* Abadie, E. *et al.*
 Devogelaer, J.-P., *see* El Hajjaji, H. *et al.*
 DiBlasio-Smith, E., *see* Arai, M. *et al.*
 Ding, C., *see* Jones, G. *et al.*
 Disler, D., *see* Stern, A. G. *et al.*
 Doi, T., *see* Omoto, S. *et al.*
 Dolzani, P., *see* Silvestri, T. *et al.*

Dorfmueller, P., see Knorth, H. *et al.*
 Dorner, A. J., see Arai, M. *et al.*
 Doshi, A. N., see Imler, S. M. *et al.*
 Dougados, M., see Altman, R. D. *et al.*
 Dougados, M., see Pham, T. *et al.*
 Dowthwaite, G. P., see Redman, S. N. *et al.*
 Dreiser, R. L., see Abadie, E. *et al.*
 Dumond, H., Presle, N., Pottier, P., Pacquelet, S., Terlain, B., Netter, P., Gepstein, A., Livne, E., Jouzeau, J.-Y. Site specific changes in gene expression and cartilage metabolism during early experimental osteoarthritis, 284
 Dunn, T. C., see Blumenkrantz, G. *et al.*

E

E. Kuettner, K., see Muehleman, C. *et al.*
 Egido, J., see Calvo, E. *et al.*
 El Hajjaji, H., Williams, J. M., Devogelaer, J.-P., Lenz, M. E., Thonar, E.-M. A., Manicourt, D.-H. Treatment with calcitonin prevents the net loss of collagen, hyaluronan and proteoglycan aggregates from cartilage in the early stages of canine experimental osteoarthritis, 904
 Erb, H. N., see Steffey, M. A. *et al.*
 Ethgen, D., see Abadie, E. *et al.*
 Etienne, S., see Galois, L. *et al.*
 Evans, C. H., see Gouze, J.-N. *et al.*

F

Facchini, A., see Honorati, M. C. *et al.*
 Favret, H., see Conrozier, T. *et al.*
 Fayad, F., see Spacek, E. *et al.*
 Fermanian, J., see Guermazi, M. *et al.*
 Fermanian, J., see Spacek, E. *et al.*
 Fermor, B., Jeffcoat, D., Hennerbichler, A., Pisetsky, D. S., Weinberg, J. B., Guilak, F. The effects of cyclic mechanical strain and tumor necrosis factor alpha on the response of cells of the meniscus, 956
 Fernández-Criado, C., Martos-Rodríguez, A., Santos-Álvarez, I., García-Ruiz, J. P., Delgado-Baeza, E. The fate of chondrocyte in osteoarthritic cartilage of transgenic mice expressing bovine GH, 543
 Fioravanti, A., see Uebelhart, D. *et al.*
 Flahiff, C. M., Kraus, V. B., Huebner, J. L., Setton, L. A. Cartilage mechanics in the guinea pig model of osteoarthritis studied with an osmotic loading method, 383
 Forejtová, Š., see Pavelka, K. *et al.*
 Foster, P. J., see Batiste, D. L. *et al.*
 Freeman, K. P., see Steffey, M. A. *et al.*
 Fritz, J., see Gründer, T. *et al.*
 Fritz, P., see Brenner, S. S. *et al.*
 Fuchs, S., Skwara, A., Bloch, M., Dankbar, B. Differential induction and regulation of matrix metalloproteinases in osteoarthritic tissue and fluid synovial fibroblasts, 409
 Fushimi, K., Nakashima, S., Banno, Y., Akaike, A., Takigawa, M., Shimizu, K. Implication of prostaglandin E2 in TNF- α -induced release of m-calpain from HCS-2/8 chondrocytes. Inhibition of m-calpain release by NSAIDs, 895
 Fye, K., see Peterfy, C. G. *et al.*

G

Gaissmaier, C., see Gründer, T. *et al.*
 Galois, L., Etienne, S., Grossin, L., Watrin-Pinzano, A.,

Cournil-Henrionnet, C., Loeuille, D., Netter, P., Mainard, D., Gillet, P. Dose-response relationship for exercise on severity of experimental osteoarthritis in rats: a pilot study, 779
 Gänsbacher, B., see Ueblicher, P. *et al.*
 García-Ruiz, J. P., see Fernández-Criado, C. *et al.*
 García Hernández, J. L., see Castellanos, M. V. *et al.*
 Gardner, D. L., see Hulmes, D. J. S. *et al.*
 Garnero, P., see Rousseau, J.-C. *et al.*
 Gaschen, V., see Patwari, P. *et al.*
 Gaschen, V., see Szafranski, J. D. *et al.*
 Gati, J. S., see Batiste, D. L. *et al.*
 Gatterová, J., see Pavelka, K. *et al.*
 Gebuhr, P., see Jacobsen, S. *et al.*, Gebuhr, P., see Jacobsen, S. *et al.*
 Gemmati, D., see De Mattei, M. *et al.*
 Genant, H. K., see Peterfy, C. G. *et al.*
 Gepstein, A., see Dumond, H. *et al.*
 Ghivizzani, S. C., see Gouze, J.-N. *et al.*
 Ghosh, P., see Cake, M. A. *et al.*
 Ghosh, P., see Oakley, S. P. *et al.*
 Gillet, P., see Galois, L. *et al.*
 Gillet, P., see Watrin-Pinzano, A. *et al.*
 Glisson, M., see Jones, G. *et al.*
 Gomez, P. F., see Clancy, R. M. *et al.*
 Gonord, P., see Watrin-Pinzano, A. *et al.*
 Good, M., see Theiler, R. *et al.*
 Goodman, S. B., see Trindade, M. C. D. *et al.*
 Gouze, E., see Gouze, J.-N. *et al.*
 Gouze, J.-N., Gouze, E., Palmer, G. D., Kaneto, H., Ghivizzani, S. C., Grodzinsky, A. J., Evans, C. H. Adenovirus-mediated gene transfer of glutamine: fructose-6-phosphate amidotransferase antagonizes the effects of interleukin-1 β on rat chondrocytes, 217
 Grodzinsky, A. J., see Gouze, J.-N. *et al.*
 Grodzinsky, A. J., see Patwari, P. *et al.*
 Grodzinsky, A. J., see Szafranski, J. D. *et al.*
 Grogan, S., see Barbero, A. *et al.*
 Grossin, L., see Galois, L. *et al.*
 Grossin, L., see Watrin-Pinzano, A. *et al.*
 Gründer, T., Gaissmaier, C., Fritz, J., Stoop, R., Hortschansky, P., Mollenhauer, J., Aicher, W. K. Bone morphogenetic protein (BMP)-2 enhances the expression of type II collagen and aggrecan in chondrocytes embedded in alginate beads, 559
 Guermazi, A., see Peterfy, C. G. *et al.*
 Guermazi, M., Poiraudou, S., Yahia, M., Mezganni, M., Fermanian, J., Habib Elleuch, M., Revel, M. Translation, adaptation and validation of the Western Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC, 459
 Guilak, F., see Fermor, B. *et al.*
 Guillot, G., see Watrin-Pinzano, A. *et al.*
 Gutiérrez, N. C., see Castellanos, M. V. *et al.*

H

Habib Elleuch, M., see Guermazi, M. *et al.*
 Hagg, R., see Tallheden, T. *et al.*
 Ham, K. D., Oegema, T. R., Loeser, R. F., Carlson, C. S. Effects of long-term estrogen replacement therapy on articular cartilage IGFBP-2, IGFBP-3, collagen and pro-

- teoglycan levels in ovariectomized cynomolgus monkeys, 160
- Hamanishi, C., *see* Nishimura, S. *et al.*
- Harada, H., *see* Sugimoto, K. *et al.*
- Harvey, R. E., *see* Hulmes, D. J. S. *et al.*
- Harwood, F. L., *see* Todd Allen, R. *et al.*
- Hashimoto, S., *see* Kühn, K. *et al.*
- Hattori, T., *see* Yamamoto, T. *et al.*
- Hausser, H.-J., Decking, R., Brenner, R. E. Testican-1, an inhibitor of pro-MMP-2 activation, is expressed in cartilage, 870
- Hawkins, D. F., *see* Coimbra, I. B. *et al.*
- Hayakawa, S., *see* Nishimura, S. *et al.*
- Heberer, M., *see* Barbero, A. *et al.*
- Heinegård, D., *see* Johnson, A. *et al.*
- Heitmeyer, S. A., *see* Janusz, M. J. *et al.*
- Heitner, G., *see* Muehleman, C. *et al.*
- Hennerbichler, A., *see* Fermor, B. *et al.*
- Henrotin, Y. E., *see* Sanchez, C. *et al.*
- Hernández, J. M., *see* Castellanos, M. V. *et al.*
- Herrero-Beaumont, G., *see* Abadie, E. *et al.*
- Herrero-Beaumont, G., *see* Calvo, E. *et al.*
- Heukamp, M., *see* Knorth, H. *et al.*
- Hickery, M., *see* Johnson, A. *et al.*
- Hillemanns, M., *see* Ueblacker, P. *et al.*
- Hiraki, Y., *see* Chuma, H. *et al.*
- Hiraki, Y., *see* Mizuta, H. *et al.*
- Hochberg, M., *see* Altman, R. D. *et al.*
- Hochberg, M., *see* Pham, T. *et al.*
- Holdsworth, D. W., *see* Batiste, D. L. *et al.*, Holloway, I., Kayser, M., Lee, D. A., Bader, D. L., Bentley, G., Knight, M. M. Increased presence of cells with multiple elongated processes in osteoarthritic femoral head cartilage, 17
- Holthuysen, A. E. M., *see* Blom, A. B. *et al.*
- Honorati, M. C., Cattini, L., Facchini, A. IL-17, IL-1 β and TNF- α stimulate VEGF production by dedifferentiated chondrocytes, 683
- Hookfin, E. B., *see* Janusz, M. J. *et al.*
- Horner, A., *see* Wang, X. *et al.*
- Hortschansky, P., *see* Gründer, T. *et al.*
- Howard, M. J., Chambers, M. G., Mason, R. M., Isacke, C. M. Distribution of Endo180 receptor and ligand in developing articular cartilage, 74
- Hudry, C., *see* Pham, T. *et al.*
- Huebner, J. L., *see* Flahiff, C. M. *et al.*
- Hulejová, M., *see* Pavelka, K. *et al.*
- Hulmes, D. J. S., Marsden, M. E., Strachan, R. K., Harvey, R. E., McInnes, N., Gardner, D. L. Intra-articular hyaluronate in experimental rabbit osteoarthritis can prevent changes in cartilage proteoglycan content, 232
- Hung, C. T., *see* Krishnan, R. *et al.*
- Hung, C. T., *see* Park, S. *et al.*
- Hung, H.-H., *see* Szafranski, J. D. *et al.*
- Hunter, C. J., Mouw, J. K., Levenston, M. E. Dynamic compression of chondrocyte-seeded fibrin gels: effects on matrix accumulation and mechanical stiffness, 117
- Huntley, J. S. Cutting cartilage—surgical perspective, 846
- Hunziker, E. B., *see* Altman, R. D.
- Hunziker, E. B., *see* Patwari, P. *et al.*
- Hunziker, E. B., *see* Szafranski, J. D. *et al.*
- Hwa, S.-Y., *see* Cake, M. A. *et al.*
- I**
- Iizawa, T., *see* Sugimoto, K. *et al.*
- Ikenoue, T., *see* Trindade, M. C. D. *et al.*
- Imhoff, A. B., *see* Ueblacker, P. *et al.*
- Imler, S. M., Doshi, A. N., Levenston, M. E. Combined effects of growth factors and static mechanical compression on meniscus explant biosynthesis, 736
- Imoto, K., *see* Yamamoto, T. *et al.*
- Inoue, H., *see* Omoto, S. *et al.*
- Isacke, C. M., *see* Howard, M. J. *et al.*
- J**
- Jacob, H. A. C., *see* Miozzari, H. H. *et al.*
- Jacobsen, S., Sonne-Holm, S., S_balle, K., Gebuhr, P., Lund, B. Factors influencing hip joint space in asymptomatic subjectsA survey of 4151 subjects of the Copenhagen City Heart Study: The Osteoarthritis Substudy, 698
- Jacobsen, S., Sonne-Holm, S., S_balle, K., Gebuhr, P., Lund, B. The relationship of hip joint space to self reported hip painA survey of 4.151 subjects of the Copenhagen City Heart Study: the Osteoarthritis Substudy, 692
- Jacobsen, S., Sonne-Holm, S., S_balle, K., Gebuhr, P., Lund, B. The distribution and inter-relationships of radiologic features of osteoarthritis of the hipA survey of 4151 subjects of the Copenhagen City Heart Study: The Osteoarthritis Substudy, 704
- James, I. E., *see* Patwari, P. *et al.*
- Janusz, M. J., Little, C. B., King, L. E., Hookfin, E. B., Brown, K. K., Heitmeyer, S. A., Caterson, B., Poole, A. R., Taiwo, Y. O. Detection of aggrecanase- and MMP-generated catabolic neopeptides in the rat iodoacetate model of cartilage degeneration, 720
- Javier Toyos, F., *see* Villanueva, I. *et al.*
- Jeffcoat, D., *see* Fermor, B. *et al.*
- Jessen, T. E., Ødum, L. TSG-6 and calcium ions are essential for the coupling of inter-alpha-trypsin inhibitor to hyaluronan in human synovial fluid, 142
- Jimenez, S. A., *see* Coimbra, I. B. *et al.*
- Jin, H., *see* Blumenkrantz, G. *et al.*
- Jin, H., *see* Lindsey, C. T. *et al.*
- John, T., *see* Schulze-Tanzil, G. *et al.*
- Johnson, A., Smith, R., Saxne, T., Hickery, M., Heinegård, D. Fibronectin fragments cause release and degradation of collagen-binding molecules from equine explant cultures, 149
- Johnson, K., Terkeltaub, R. Upregulated ank expression in osteoarthritis can promote both chondrocyte MMP-13 expression and calcification via chondrocyte extracellular PPI excess, 321
- Johnson, R. S., *see* Cramer, T. *et al.*
- Jones, G., Ding, C., Scott, F., Glisson, M., Cicuttini, F. Early radiographic osteoarthritis is associated with substantial changes in cartilage volume and tibial bone surface area in both males and females, 169
- Jouzeau, J.-Y., *see* Dumond, H. *et al.*
- K**
- Kahan, A., *see* Abadie, E. *et al.*
- Kandel, R. A., *see* Wang, H.

- Kaneto, H., see Gouze, J.-N. *et al.*
 Karlsson, C., see Tallheden, T. *et al.*
 Kato, T., see Yuan, G.-H. *et al.*
 Katsumata, M., see Sugimoto, K. *et al.*
 Kawata, M., see Oshima, Y. *et al.*
 Kawcak, C. E., see Nugent, G. E. *et al.*
 Kayser, M. V., see Mistry, D. *et al.*
 Kayser, M., see Holloway, I. *et al.*
 Kennerknecht, E., see Ueblacker, P. *et al.*
 Kieffert, P., see Pham, T. *et al.*
 Kiers, G. H., see van der Harst, M. R. *et al.*
 King, L. E., see Janusz, M. J. *et al.*
 Kirkham, B. W., see Oakley, S. P. *et al.*
 Kirkley, A., see Batiste, D. L. *et al.*, Kitamura, H.
 Establishment of a bipotent cell line CL-1 which differentiates into chondrocytes and adipocytes from adult mouse, 25
 Klotz, U., see Brenner, S. S. *et al.*
 Knight, M. M., see Holloway, I. *et al.*
 Knorth, H., Dorfmueller, P., Lebert, R., Schmidt, W. E., Wittenberg, R. H., Heukamp, M., Wiese, M., Willburger, R. E. Participation of cyclooxygenase-1 in prostaglandin E2 release from synovitis tissue in primary osteoarthritis *in vitro*, 658
 Knudson, C. B., see Nishida, Y. *et al.*
 Knudson, W., see Nishida, Y. *et al.*
 Kobayashi, K., Matsuzaka, S., Yoshida, Y., Miyauchi, S., Wada, Y., Moriya, H. The effects of intraarticularly injected sodium hyaluronate on levels of intact aggrecan and nitric oxide in the joint fluid of patients with knee osteoarthritis, 536
 Kollias-Baker, C., see Tesch, A. M. *et al.*
 Komatsu, M., see Takahashi, T. *et al.*
 Kothari, M., see Peterfy, C. G. *et al.*
 Kraus, V. B., see Flahiff, C. M. *et al.*
 Kreutz, G., see Abadie, E. *et al.*
 Krishnan, R., Caligaris, M., Mauck, R. L., Hung, C. T., Costa, K. D., Ateshian, G. A. Removal of the superficial zone of bovine articular cartilage does not increase its frictional coefficient, 947
 Krüger, A., see Ueblacker, P. *et al.*
 Kubo, T., see Oshima, Y. *et al.*
 Kudo, S., see Chuma, H. *et al.*
 Kudo, S., see Mizuta, H. *et al.*
 Kühn, K., D'Lima, D. D., Hashimoto, S., Lotz, M. Cell death in cartilage, 1
 Kurdi, Y., see Arai, M. *et al.*
- L**
 Lai, W.-F. T., Chang, C.-H., Tang, Y., Bronson, R., Tung, C.-H. Early diagnosis of osteoarthritis using cathepsin B sensitive near-infrared fluorescent probes, 239
 Lapsley, H. M., see March, L. M. *et al.*
 Largo, R., see Calvo, E. *et al.*
 Lark, M. W., see Patwari, P. *et al.*
 Laslop, A., see Abadie, E. *et al.*
 Lassere, M. N., see Oakley, S. P. *et al.*
 Lauer, G., see Brenner, S. S. *et al.*
 LaVallie, E. R., see Arai, M. *et al.*
 Laverty, S., see Batiste, D. L. *et al.*
 Law, A. W., see Nugent, G. E. *et al.*
 Lebert, R., see Knorth, H. *et al.*
 Lechevalier, D., see Pham, T. *et al.*
 Lee, D. A., see Holloway, I. *et al.*
 Lee, M. S., see Trindade, M. C. D. *et al.*
 Lef_vre-Colau, M.-M., see Spacek, E. *et al.*
 Lemmel, E. M., see Abadie, E. *et al.*
 Lenz, M. E., see El Hajjaji, H. *et al.*
 Leone, P. E., see Castellanos, M. V. *et al.*
 Lesur, C., see Moulharat, N. *et al.*
 Levenston, M. E., see Hunter, C. J. *et al.*
 Levenston, M. E., see Imler, S. M. *et al.*
 Lewek, M. D., Rudolph, K. S., Snyder-Mackler, L. Control of frontal plane knee laxity during gait in patients with medial compartment knee osteoarthritis, 745
 Lin, E. Y., see Trindade, M. C. D. *et al.*
 Lin, P. M., Chen, C.-T. C., Torzilli, P. A. Increased stromelysin-1 (MMP-3), proteoglycan degradation (3B3- and 7D4) and collagen damage in cyclically load-injured articular cartilage, 485
 Lindahl, A., see Tallheden, T. *et al.*
 Lindauer, K., see Saas, J. *et al.*
 Lindsey, C. T., Narasimhan, A., Adolfo, J. M., Jin, H., Steinbach, L. S., Link, T., Ries, M., Majumdar, S. Magnetic resonance evaluation of the interrelationship between articular cartilage and trabecular bone of the osteoarthritic knee, 86
 Lindsey, C. T., see Blumenkrantz, G. *et al.*
 Link, T. M., see Blumenkrantz, G. *et al.*
 Link, T., see Lindsey, C. T. *et al.*
 Little, C. B., see Janusz, M. J. *et al.*
 Livne, E., see Dumond, H. *et al.*
 Loeser, R. F., see Ham, K. D. *et al.*
 Loeuille, D., see Galois, L. *et al.*
 Loeuille, D., see Watrin-Pinzano, A. *et al.*
 Lohmander, S., see Altman, R. D. *et al.*
 Lopez-Duran, L., see Carsi, B. *et al.*
 Lopez-Lacomba, J. L., see Carsi, B. *et al.*
 Lotz, M., see Kühn, K. *et al.*
 Lu, Y., see Peterfy, C. G. *et al.*
 Lumberas, E., see Castellanos, M. V. *et al.*
 Lund, B., see Jacobsen, S. *et al.*
 Lund, B., see Jacobsen, S. *et al.*
 Lust, G., see Clements, K. M. *et al.*
 Lust, G., see Steffey, M. A. *et al.*
- M**
 MacDonald, M. H., see Tesch, A. M. *et al.*
 MacLeod, J. N., see Steffey, M. A. *et al.*
 Maillefert, J.-F., see Pham, T. *et al.*
 Mailleux, E., see Uebelhart, D. *et al.*
 Mainard, D., see Galois, L. *et al.*
 Mainil-Varlet, P., see Barbero, A. *et al.*
 Mais, A., see Brenner, S. S. *et al.*
 Majumdar, S., see Blumenkrantz, G. *et al.*
 Majumdar, S., see Lindsey, C. T. *et al.*
 Majumdar, S., see Muehleman, C. *et al.*
 Malaise, M., see Uebelhart, D. *et al.*
 Malda, J., van Blitterswijk, C. A., van Geffen, M., Martens, D. E., Tramper, J., Riesle, J. Low oxygen tension stimulates the redifferentiation of dedifferentiated adult human nasal chondrocytes, 306

- Manicourt, D.-H., see El Hajjaji, H. *et al.*
 Manner, P. A., see Wang, X. *et al.*
 March, L. M., Cross, M., Tribe, K. L., Lapsley, H. M., Courtenay, B. G., Cross, M. J., Brooks, P. M. Two knees or not two knees? Patient costs and outcomes following bilateral and unilateral total knee joint replacement surgery for OA, 400
 Marco, F., see Carsi, B. *et al.*
 Marcolongo, R., see Uebelhart, D. *et al.*
 Marsden, M. E., see Hulmes, D. J. S. *et al.*
 Martens, D. E., see Malda, J. *et al.*
 Martin, I., see Barbero, A. *et al.*
 Martinek, V., see Ueblacker, P. *et al.*
 Martos-Rodríguez, A., see Fernández-Criado, C. *et al.*
 Mason, R. M., see Howard, M. J. *et al.*
 Mason, R. M., see Mistry, D. *et al.*
 Massari, L., see De Mattei, M. *et al.*
 Masuko-Hongo, K., see Yuan, G.-H. *et al.*
 Mathieu, P., see Conrozier, T. *et al.*
 Matoso, L., see Uebelhart, D. *et al.*
 Matsuda, K.-i., see Oshima, Y. *et al.*
 Matsuzaka, S., see Kobayashi, K. *et al.*
 Mauck, R. L., see Krishnan, R. *et al.*
 McDowell, C., see Stern, A. G. *et al.*
 McInnes, N., see Hulmes, D. J. S. *et al.*
 Meliconi, R., see Silvestri, T. *et al.*
 Menk, R.-H., see Muehleman, C. *et al.*
 Metge, J., see Muehleman, C. *et al.*
 Mezganni, M., see Guermazi, M. *et al.*
 Miaux, Y., see Peterfy, C. G. *et al.*
 Miki, H., see Nishii, T. *et al.*
 Miosge, N., see Tesche, F.
 Miossec, P., see Rousseau, J.-C. *et al.*
 Miozzari, H. H., Clark, J. M., Jacob, H. A. C., von Rechenberg, B., Nötzli, H. P. Effects of removal of the acetabular labrum in a sheep hip model, 419
 Mistry, D., Oue, Y., Chambers, M. G., Kayser, M. V., Mason, R. M. Chondrocyte death during murine osteoarthritis, 131
 Miura, N., see Steffey, M. A. *et al.*
 Miyauchi, S., see Kobayashi, K. *et al.*
 Mizuta, H., Kudo, S., Nakamura, E., Otsuka, Y., Takagi, K., Hiraki, Y. Active proliferation of mesenchymal cells prior to the chondrogenic repair response in rabbit full-thickness defects of articular cartilage, 586
 Mizuta, H., see Chuma, H. *et al.*
 Mobasheri, A., see Schulze-Tanzil, G. *et al.*
 Mollenhauer, J., see Gründer, T. *et al.*
 Mollenhauer, J., see Muehleman, C. *et al.*
 Moriya, H., see Kobayashi, K. *et al.*
 Morris, E., see Arai, M. *et al.*
 Moulharat, N., Lesur, C., Thomas, M., Rolland-Valognes, G., Pastoureau, P., Anract, P., De Ceuninck, F., Sabatini, M. Effects of transforming growth factor- β on aggrecanase production and proteoglycan degradation by human chondrocytes *in vitro*, 296
 Mouw, J. K., see Hunter, C. J. *et al.*
 Moxley, G., see Stern, A. G. *et al.*
 Muehleman, C., Majumdar, S., Sema Issever, A., Arfelli, F., Menk, R.-H., Rigon, L., Heitner, G., Reime, B., Metge, J., Wagner, A., E. Kuettner, K., Mollenhauer, J. X-ray detection of structural orientation in human articular cartilage, 97
 Munakata, H., see Nishimura, S. *et al.*
 Murrell, G. A. C., see Oakley, S. P. *et al.*
- N**
 Nadler, D., see von Rechenberg, B. *et al.*
 Nakamura, E., see Mizuta, H. *et al.*
 Nakamura, H., see Yuan, G.-H. *et al.*
 Nakanishi, T., see Omoto, S. *et al.*
 Nakashima, S., see Fushimi, K. *et al.*
 Nakaya, H., see Yamamoto, T. *et al.*
 Narasimhan, A., see Lindsey, C. T. *et al.*
 Navarro, F., see Villanueva, I. *et al.*
 Neges, K., see von Rechenberg, B. *et al.*
 Netter, P., see Dumond, H. *et al.*
 Netter, P., see Galois, L. *et al.*
 Netter, P., see Watrin-Pinzano, A. *et al.*
 Nishida, K., see Omoto, S. *et al.*
 Nishida, T., see Omoto, S. *et al.*
 Nishida, Y., Knudson, C. B., Knudson, W. Osteogenic Protein-1 inhibits matrix depletion in a hyaluronan hexa-saccharide-induced model of osteoarthritis, 374
 Nishii, T., Sugano, N., Sato, Y., Tanaka, H., Miki, H., Yoshikawa, H. Three-dimensional distribution of acetabular cartilage thickness in patients with hip dysplasia: a fully automated computational analysis of MR imaging, 650
 Nishimura, S., Akagi, M., Yoshida, K., Hayakawa, S., Sawamura, T., Munakata, H., Hamanishi, C. Oxidized low-density lipoprotein (ox-LDL) binding to lectin-like ox-LDL receptor-1 (LOX-1) in cultured bovine articular chondrocytes increases production of intracellular reactive oxygen species (ROS) resulting in the activation of NF- κ B, 568
 Nishioka, K., see Yuan, G.-H. *et al.*
 Nötzli, H. P., see Miozzari, H. H. *et al.*
 Nuckolls, G. H., see Wang, X. *et al.*
 Nugent, G. E., Law, A. W., Wong, E. G., Temple, M. M., Bae, W. C., Chen, A. C., Kawcak, C. E., Sah, R. L. Site- and exercise-related variation in structure and function of cartilage from equine distal metacarpal condyle, 826
 Nuki, G., see Abadie, E. *et al.*
 Nykamp, S. G., see Steffey, M. A. *et al.*
- O**
 Oakley, S. P., Lassere, M. N., Portek, I., Szomor, Z., Ghosh, P., Kirkham, B. W., Murrell, G. A. C., Wulf, S., Appleyard, R. C. Biomechanical, histologic and macroscopic assessment of articular cartilage in a sheep model of osteoarthritis, 667
 OARSI 9th World Congress offers: the latest in OA advances, 851
 Ødum, L., see Jessen, T. E.
 Oegema, T. R., see Ham, K. D. *et al.*
 Ogawa, Y., see Takahashi, T. *et al.*
 Olejárová, M., see Pavelka, K. *et al.*
 Olivier, P., see Watrin-Pinzano, A. *et al.*
 Omoto, S., Nishida, K., Yamaai, Y., Shibahara, M., Nishida, T., Doi, T., Asahara, H., Nakanishi, T., Inoue, H., Takigawa, M. Expression and localization of connective

tissue growth factor (CTGF/Hcs24/CCN2) in osteoarthritic cartilage, 771

Ongaro, A., see De Mattei, M. *et al.*

Oshima, Y., Watanabe, N., Matsuda, K.-i., Takai, S., Kawata, M., Kubo, T. Fate of transplanted bone-marrow-derived mesenchymal cells during osteochondral repair using transgenic rats to simulate autologous transplantation, 811

Otsuka, Y., see Mizuta, H. *et al.*

Oue, Y., see Mistry, D. *et al.*

P

Pacquelet, S., see Dumond, H. *et al.*

Palacios, I., see Calvo, E. *et al.*

Palmer, G. D., see Gouze, J.-N. *et al.*

Park, M., see Stern, A. G. *et al.*

Park, S., Hung, C. T., Ateshian, G. A. Mechanical response of bovine articular cartilage under dynamic unconfined compression loading at physiological stress levels, 65

Pasello, M., see De Mattei, M. *et al.*

Pastoureau, P., see Moulharat, N. *et al.*

Patel, N., see Burch, F. *et al.*

Patwari, P., Gaschen, V., James, I. E., Berger, E., Blake, S. M., Lark, M. W., Grodzinsky, A. J., Hunziker, E. B. Ultrastructural quantification of cell death after injurious compression of bovine calf articular cartilage, 245

Pavelka, K., Forejtová, Š., Olejárová, M., Gatterová, J., Šenolt, L., Špaček, P., Braun, M., Hulejová, M., Štovičková, J., Pavelková, A. Hyaluronic acid levels may have predictive value for the progression of knee osteoarthritis, 277

Pavelka, K., see Altman, R. D. *et al.*

Pavelková, A., see Pavelka, K. *et al.*

Payan, E., see Watrin-Pinzano, A. *et al.*

Pellati, A., see De Mattei, M. *et al.*

Peterfy, C. G., Guermazi, A., Zaim, S., Tirman, P. F. J., Miaux, Y., White, D., Kothari, M., Lu, Y., Fye, K., Zhao, S., Genant, H. K. Whole-Organ Magnetic Resonance Imaging Score (WORMS) of the knee in osteoarthritis, 177

Pfander, D., see Cramer, T. *et al.*

Pham, T., Maillefert, J.-F., Hudry, C., Kieffert, P., Bourgeois, P., Lechevalier, D., Dougados, M. Laterally elevated wedged insoles in the treatment of medial knee osteoarthritis, 46

Pham, T., van der Heijde, D., Altman, R. D., Anderson, J. J., Bellamy, N., Hochberg, M., Simon, L., Strand, V., Woodworth, T., Dougados, M. OMERACT-OARSI Initiative: Osteoarthritis Research Society International set of responder criteria for osteoarthritis clinical trials revisited., 389

Piera-Velazquez, S., see Coimbra, I. B. *et al.*

Piperno, M., see Conrozier, T. *et al.*

Piperno, M., see Uebelhart, D. *et al.*

Pisetsky, D. S., see Fermor, B. *et al.*

Pittman, D. D., see Arai, M. *et al.*

Plank, C., see Uebelhart, P. *et al.*

Poiraudeau, S., see Guermazi, M. *et al.*

Poiraudeau, S., see Spacek, E. *et al.*

Pomerleau, A. C., see Todd Allen, R. *et al.*

Poole, A. R., see Janusz, M. J. *et al.*

Portek, I., see Oakley, S. P. *et al.*

Pottie, P., see Dumond, H. *et al.*

Presle, N., see Dumond, H. *et al.*

Provvedini, D., see Conrozier, T. *et al.*

Pulsatelli, L., see Silvestri, T. *et al.*

Punzi, L., see Silvestri, T. *et al.*

R

Ramos, L., see Castellanos, M. V. *et al.*

Rannou, F., see Spacek, E. *et al.*

Read, R. A., see Cake, M. A. *et al.*

Redman, S. N., Archer, C. W. Cutting cartilage—A surgical perspective, 848

Redman, S. N., Dowthwaite, G. P., Thomson, B. M., Archer, C. W. The cellular responses of articular cartilage to sharp and blunt trauma—Financial support: Engineering and Physical Sciences Research Council (EPSRC) and Smith & Nephew Plc., 106

Reginster, J.-Y. L., see Sanchez, C. *et al.*

Reginster, J.-Y., see Abadie, E. *et al.*

Reime, B., see Muehleman, C. *et al.*

Revel, M., see Guermazi, M. *et al.*

Revel, M., see Spacek, E. *et al.*

Ries, M. D., see Blumenkrantz, G. *et al.*

Ries, M., see Lindsey, C. T. *et al.*

Riesle, J., see Malda, J. *et al.*

Rigon, L., see Muehleman, C. *et al.*

Robertson, C. M., see Todd Allen, R. *et al.*

Robledo, C., see Castellanos, M. V. *et al.*

Rolland-Valognes, G., see Moulharat, N. *et al.*

Roth, J., see Blom, A. B. *et al.*

Rousseau, J.-C., Zhu, Y., Miossec, P., Vignon, E., Sandell, L. J., Garner, P., Delmas, P. D. Serum levels of type IIA procollagen amino terminal propeptide (PIIAP) are decreased in patients with knee osteoarthritis and rheumatoid arthritis., 440

Ruud, J.-P., see Watrin-Pinzano, A. *et al.*

Rudolph, K. S., see Lewek, M. D. *et al.*

S

Saas, J., Lindauer, K., Bau, B., Takigawa, M., Aigner, T. Molecular phenotyping of HCS-2/8 cells as an *in vitro* model of human chondrocytes, 924

Sabatini, M., see Moulharat, N. *et al.*

Sah, R. L., see Nugent, G. E. *et al.*

Saito, M., see Yamamoto, T. *et al.*

Salzmann, G. M., see Uebelhart, P. *et al.*

Sanchez, C., Deberg, M. A., Burton, S., Devel, P., Reginster, J.-Y. L., Henrotin, Y. E. Differential regulation of chondrocyte metabolism by oncostatin M and interleukin-6, 801

Sánchez-Pernaute, O., see Calvo, E. *et al.*

Sandell, L. J., see Rousseau, J.-C. *et al.*

Santos-Ávarez, I., see Fernandez-Criado, C. *et al.*

Sanz, J., see Carsi, B. *et al.*

Sasho, T., see Todd Allen, R. *et al.*

Sato, Y., see Nishii, T. *et al.*

Sawamura, T., see Nishimura, S. *et al.*

Saxne, T., see Johnson, A. *et al.*

Scarpino, V., see Steffey, M. A. *et al.*

Schäfer, D., see Barbero, A. *et al.*

- Schipani, E., see Cramer, T. *et al.*
 Schmidt, W. E., see Knorth, H. *et al.*
 Schnitzer, T., see Altman, R. D. *et al.*
 Schulze-Tanzil, G., Mobasheri, A., de Souza, P., John, T., Shakibaei, M. Loss of chondrogenic potential in dedifferentiated chondrocytes correlates with deficient Shc–Erk interaction and apoptosis, 448
 Schumacher, H. R., see Stern, A. G. *et al.*
 Schurman, D. J., see Trindade, M. C. D. *et al.*
 Schweer, H., see Brenner, S. S. *et al.*
 Scott, F., see Jones, G. *et al.*
 Sema Issever, A., see Muehleman, C. *et al.*
 Šenolt, L., see Pavelka, K. *et al.*
 Setti, S., see De Mattei, M. *et al.*
 Setton, L. A., see Flahiff, C. M. *et al.*
 Seyberth, H. W., see Brenner, S. S. *et al.*
 Shakibaei, M., see Schulze-Tanzil, G. *et al.*
 Sheldon, E., see Burch, F. *et al.*
 Shibahara, M., see Omoto, S. *et al.*
 Shibakawa, A., see Yuan, G.-H. *et al.*
 Shida, J.-i., see Trindade, M. C. D. *et al.*
 Shields, K., see Arai, M. *et al.*
 Shimizu, K., see Fushimi, K. *et al.*
 Shum, L., see Wang, X. *et al.*
 Silvestri, T., Pulsatelli, L., Dolzani, P., Punzi, L., Meliconi, R. Analysis of cartilage biomarkers in erosive and non-erosive osteoarthritis of the hands, 843
 Simon, L., see Pham, T. *et al.*
 Skwara, A., see Fuchs, S. *et al.*
 Smith, R. L., see Trindade, M. C. D. *et al.*
 Smith, R., see Johnson, A. *et al.*
 Snyder-Mackler, L., see Lewek, M. D. *et al.*
 Søballe, K., see Jacobsen, S. *et al.*, Søballe, K., see Jacobsen, S. *et al.*
 Sonne-Holm, S., see Jacobsen, S. *et al.*, Sonne-Holm, S., see Jacobsen, S. *et al.*
 Spacek, E., Poiraudau, S., Fayad, F., Lef_vre-Colau, M.-M., Beaudreuil, J., Rannou, F., Fermanian, J., Revel, M. Disability induced by hand osteoarthritis: are patients with more symptoms at digits 2_5 interphalangeal joints different from those with more symptoms at the base of the thumb?, 366
 Špaček, P., see Pavelka, K. *et al.*
 Spector, T., see Altman, R. D. *et al.*
 Spouge, A. R., see Batiste, D. L. *et al.*, Steffey, M. A., Miura, N., Todhunter, R. J., Nykamp, S. G., Freeman, K. P., Scarpino, V., Vernier-Singer, M. A., Erb, H. N., MacLeod, J. N., Lust, G., Burton-Wurster, N. The potential and limitations of cartilage-specific (V+C) fibronectin and cartilage oligomeric matrix protein as osteoarthritis biomarkers in canine synovial fluid, 818
 Steinbach, L. S., see Blumenkrantz, G. *et al.*
 Steinbach, L. S., see Lindsey, C. T. *et al.*
 Stern, A. G., Moxley, G., Sudha Rao, T. P., Disler, D., McDowell, C., Park, M., Schumacher, H. R. Utility of digital photographs of the hand for assessing the presence of hand osteoarthritis, 360
 Stokes, D. G., see Coimbra, I. B. *et al.*
 Stoop, R., see Gründer, T. *et al.*
 Štovićková, J., see Pavelka, K. *et al.*
 Strachan, R. K., see Hulmes, D. J. S. *et al.*
 Strand, V., see Pham, T. *et al.*
 Studer, R. K. Nitric oxide decreases IGF-1 receptor function *in vitro*; glutathione depletion enhances this effect *in vivo*, 863
 Sudha Rao, T. P., see Stern, A. G. *et al.*
 Sugano, N., see Nishii, T. *et al.*
 Sugimoto, K., Iizawa, T., Harada, H., Yamada, K., Katsumata, M., Takahashi, M. Cartilage degradation independent of MMP/aggreganases, 1006
 Swoboda, B., see Cramer, T. *et al.*
 Szafranski, J. D., Grodzinsky, A. J., Burger, E., Gaschen, V., Hung, H.-H., Hunziker, E. B. Chondrocyte mechanotransduction: effects of compression on deformation of intracellular organelles and relevance to cellular biosynthesis, 937
 Szomor, Z., see Oakley, S. P. *et al.*
- T**
 Taccon, A., see Conrozier, T. *et al.*
 Taiwo, Y. O., see Janusz, M. J. *et al.*
 Takagi, K., see Chuma, H. *et al.*
 Takagi, K., see Mizuta, H. *et al.*
 Takahashi, M., see Sugimoto, K. *et al.*
 Takahashi, T., Yamanaka, N., Komatsu, M., Ogawa, Y., Yoshida, S., Yamamoto, H. A new computer-assisted method for measuring the tibio-femoral angle in patients with osteoarthritis of the knee, 256
 Takai, S., see Oshima, Y. *et al.*
 Takigawa, M., see Fushimi, K. *et al.*
 Takigawa, M., see Omoto, S. *et al.*
 Takigawa, M., see Saas, J. *et al.*
 Tallheden, T., Karlsson, C., Brunner, A., van der Lee, J., Hagg, R., Tommasini, R., Lindahl, A. Gene expression during redifferentiation of human articular chondrocytes, 525
 Tanaka, H., see Nishii, T. *et al.*
 Tanaka, M., see Yuan, G.-H. *et al.*
 Tang, Y., see Lai, W.-F. T. *et al.*
 Tannis, A. J., Barban, J., Conquer, J. A. Effect of glucosamine supplementation on fasting and non-fasting plasma glucose and serum insulin concentrations in healthy individuals, 506
 Temple, M. M., see Nugent, G. E. *et al.*
 Terkeltaub, R., see Johnson, K.
 Terlain, B., see Dumond, H. *et al.*
 Tesch, A. M., MacDonald, M. H., Kollias-Baker, C., Benton, H. P. Endogenously produced adenosine regulates articular cartilage matrix homeostasis: enzymatic depletion of adenosine stimulates matrix degradation, 349
 Tesche, F., Miosge, N. Perlecan in late stages of osteoarthritis of the human knee joint, 852
 Thain, L. M. F., see Batiste, D. L. *et al.*, Theiler, R., Bischoff-Ferrari, H. A., Good, M., Bellamy, N. Responsiveness of the electronic touch screen WOMAC 3.1 OA Index in a short term clinical trial with rofecoxib, 912
 Thomas, M., see Moulharat, N. *et al.*
 Thomson, B. M., see Redman, S. N. *et al.*
 Thonar, E.-M. A., see El Hajjaji, H. *et al.*
 Tirman, P. F. J., see Peterfy, C. G. *et al.*
 Todd Allen, R., Robertson, C. M., Harwood, F. L., Sasho, T., Williams, S. K., Pomerleau, A. C., Amiel, D. Characterization of mature vs aged rabbit articular cartilage: analysis of cell

density, apoptosis-related gene expression and mechanisms controlling chondrocyte apoptosis, 917

Todhunter, R. J., *see* Steffey, M. A. *et al.*

Tommasini, R., *see* Tallheden, T. *et al.*

Torzilli, P. A., *see* Lin, P. M. *et al.*

Tramper, J., *see* Malda, J. *et al.*

Tribe, K. L., *see* March, L. M. *et al.*

Trindade, M. C. D., Shida, J.-i., Ikenoue, T., Lee, M. S., Lin, E. Y., Yaszay, B., Yerby, S., Goodman, S. B., Schurman, D. J., Smith, R. L. Intermittent hydrostatic pressure inhibits matrix metalloproteinase and pro-inflammatory mediator release from human osteoarthritic chondrocytes *in vitro*, 729

Tuan, R. S., *see* Wang, X. *et al.*

Tung, C.-H., *see* Lai, W.-F. T. *et al.*

U

Uebelhart, D., Malaise, M., Marcolongo, R., DeVathaire, F., Piperno, M., Mailleux, E., Fioravanti, A., Matoso, L., Vignon, E. Intermittent treatment of knee osteoarthritis with oral chondroitin sulfate: a one-year, randomized, double-blind, multicenter study versus placebo, 269

Ueblacker, P., Wagner, B., Krüger, A., Vogt, S., DeSantis, G., Kennerknecht, E., Brill, T., Hillemanns, M., Salzmann, G. M., Imhoff, A. B., Plank, C., Gänsbacher, B., Martinek, V. Inducible nonviral gene expression in the treatment of osteochondral defects, 711

V

van Blitterswijk, C. A., *see* Malda, J. *et al.*

van de Lest, C. H. A., *see* van der Harst, M. R. *et al.*

Van De Putte, L., *see* Abadie, E. *et al.*

van den Berg, W. B., *see* Blom, A. B. *et al.*

van der Harst, M. R., Brama, P. A. J., van de Lest, C. H. A., Kiers, G. H., DeGroot, J., van Weeren, P. R. An integral biochemical analysis of the main constituents of articular cartilage, subchondral and trabecular bone, 752

van der Heijde, D., *see* Pham, T. *et al.*

van der Kraan, P. M., *see* Blom, A. B. *et al.*

van der Lee, J., *see* Tallheden, T. *et al.*

van Geffen, M., *see* Malda, J. *et al.*

van Lent, P. L. E. M., *see* Blom, A. B. *et al.*

van Rooijen, N., *see* Blom, A. B. *et al.*

van Weeren, P. R., *see* van der Harst, M. R. *et al.*

Vanhaelst, L., *see* Abadie, E. *et al.*

Vernier-Singer, M. A., *see* Steffey, M. A. *et al.*

Vignon, E., *see* Altman, R. D. *et al.*

Vignon, E., *see* Conrozier, T. *et al.*

Vignon, E., *see* Rousseau, J.-C. *et al.*

Vignon, E., *see* Uebelhart, D. *et al.*

Villanueva, I., del Mar Guzman, M., Javier Toyos, F., Ariza-Ariza, R., Navarro, F. Relative efficiency and validity properties of a visual analogue vs a categorical scaled version of the Western Ontario and McMaster Universities Osteoarthritis (WOMAC) Index: Spanish versions, 225

Vogt, S., *see* Ueblacker, P. *et al.*

von Rechenberg, B., Akens, M. K., Nadler, D., Bittmann, P., Zlinszky, K., Neges, K., Auer, J. A. The use of photooxidized, mushroom-structured osteochondral grafts for cartilage resurfacing – a comparison to photooxidized cylindrical grafts in an experimental study in sheep, 201

von Rechenberg, B., *see* Miozzari, H. H. *et al.*

W

Wada, Y., *see* Kobayashi, K. *et al.*

Wagner, A., *see* Muehleman, C. *et al.*

Wagner, B., *see* Ueblacker, P. *et al.*

Wakitani, S., *see* Yamamoto, T. *et al.*

Wang, H., Kandel, R. A. Chondrocytes attach to hyaline or calcified cartilage and bone, 56

Wang, X., Manner, P. A., Horner, A., Shum, L., Tuan, R. S., Nuckolls, G. H. Regulation of MMP-13 expression by RUNX2 and FGF2 in osteoarthritic cartilage, 963

Watanabe, N., *see* Oshima, Y. *et al.*

Watrin-Pinzano, A., Ruaud, J.-P., Cheli, Y., Gonord, P., Grossin, L., Gillet, P., Blum, A., Payan, E., Olivier, P., Guillot, G., Netter, P., Loeuille, D. T2 mapping: an efficient MR quantitative technique to evaluate spontaneous cartilage repair in rat patella, 191

Watrin-Pinzano, A., *see* Galois, L. *et al.*

Weinberg, J. B., *see* Fermor, B. *et al.*

White, D., *see* Peterfy, C. G. *et al.*

Wiese, M., *see* Knorth, H. *et al.*

Willburger, R. E., *see* Knorth, H. *et al.*

Williams, J. M., *see* El Hajjaji, H. *et al.*

Williams, S. K., *see* Todd Allen, R. *et al.*

Wittenberg, R. H., *see* Knorth, H. *et al.*

Wong, E. G., *see* Nugent, G. E. *et al.*

Woodworth, T., *see* Pham, T. *et al.*

Wulf, S., *see* Oakley, S. P. *et al.*

X

Xia, Y., *see* Alhadlaq, H. A.

Y

Yahia, M., *see* Guermazi, M. *et al.*

Yamaai, Y., *see* Omoto, S. *et al.*

Yamada, K., *see* Sugimoto, K. *et al.*

Yamamoto, H., *see* Takahashi, T. *et al.*

Yamamoto, T., Wakitani, S., Imoto, K., Hattori, T., Nakaya, H., Saito, M., Yonenobu, K. Fibroblast growth factor-2 promotes the repair of partial thickness defects of articular cartilage in immature rabbits but not in mature rabbits, 636

Yamanaka, N., *see* Takahashi, T. *et al.*

Yaszay, B., *see* Trindade, M. C. D. *et al.*

Yates, K. E. Demineralized bone alters expression of Wnt network components during chondroinduction of post-natal fibroblasts, 497

Yerby, S., *see* Trindade, M. C. D. *et al.*

Yonenobu, K., *see* Yamamoto, T. *et al.*

Yoshida, K., *see* Nishimura, S. *et al.*

Yoshida, S., *see* Takahashi, T. *et al.*

Yoshida, Y., *see* Kobayashi, K. *et al.*

Yoshikawa, H., *see* Nishii, T. *et al.*

Yuan, G.-H., Tanaka, M., Masuko-Hongo, K., Shibakawa, A., Kato, T., Nishioka, K., Nakamura, H. Characterization of cells from pannus-like tissue over articular cartilage of advanced osteoarthritis, 38

Z

Zaim, S., *see* Peterfy, C. G. *et al.*

Zhao, S., *see* Peterfy, C. G. *et al.*

Zhu, Y., *see* Rousseau, J.-C. *et al.*

Zlinszky, K., *see* von Rechenberg, B. *et al.*